

USING OPTIONAL STRAPS


A deluxe wrist strap, a petite wrist strap, and a shoulder strap are optional accessories for the Monarch® Pathfinder® Ultra® *Silver* and *Platinum* printers. The wrist straps help support the printer in your hand, making it easier to print and apply labels. The shoulder strap allows you to carry the printer easily and hold extra batteries. Multiple straps cannot be used together.

Information in this document supercedes information in previous versions. Check our Web site (www.monarch.com) for the latest documentation and release information.


Attaching the Deluxe and Petite Wrist Straps

To attach the strap to the printer:

1. Lay the strap out flat so the angled sides face up.




Deluxe Wrist Strap




Petite Wrist Strap




2. Turn the printer upside down, and place it on a table so the keypad faces you.



3. Thread the right end of the strap through the right strap holder so the angled part faces up. Move it down and out the side. Fold the end over and attach it to the VELCRO®.




4. Repeat step 3 for the left side of the strap.
5. Turn the printer upright, stick your hand through the loop, and grab the printer's handle. Adjust the pad as necessary.



Deluxe Wrist Strap shown

- To tighten the strap, detach the part of the strap attached to the VELCRO (behind the pad) and pull until it is as tight as you need around your wrist. Reattach the piece to the VELCRO to hold it in place.



Removing the Wrist Strap


To loosen or remove the strap, detach the part attached to the VELCRO (behind the pad) and adjust as necessary, or remove your hand.

About the Safety Feature

The plastic loops on either side of the wrist straps are a safety feature to protect you from personal injury. The loops come apart and break the strap into pieces if it gets caught on something and pulled away.


Attaching the Shoulder Strap

The parts of the shoulder strap are shown below.



To attach the shoulder strap to the printer:

1. Turn the printer upside down and place it on a table so the keypad faces you.
2. Attach the connection ring to the right strap holder. Then attach the strap clip to the connection ring as shown. Repeat on the other side.



Visit our Web site for sales, service, supplies, information, and telephone numbers for our locations throughout the world.

TOLL FREE:

1-800-543-6650 (U.S.A.)

1-800-387-4740 (Canada)